

Front Cargo Cover Release and Hood Release



The front cargo cover (trunk) release is located on the driver's kick panel.



The hood release is located behind the driver's seat on the bulkhead.





Jump Start

Any Lamborghini Aventador with a dead battery needs to be brought to the dealership. Jumpstarting the vehicle and allowing the owner to drive off will result in the car shutting down while being stuck in gear within just a few miles. At that point, a service tech will need to travel to the unit

#### **Procedure**

Take the car immediately to the carrier and load for transport to the dealership. Before shutting off the engine, shift the car to neutral and set the parking brake.

Hood release location, behind the driver's seat:



Negative jump post:



Positive jump post:





**Tow Eyelet** 

#### Location

The tow eyelet can be found in the bottom of the front cargo area in the black tool kit bag that's fastened to the floor with Velcro.



#### **Procedure**

The screw in provision for the tow eyelet is located behind the grille on the passenger side of the bumper. Take great care while removing this grille as it can be difficult to get out.

Once the grille has been removed, screw in the tow eyelet all the way to the shoulder. (Standard right hand thread)



Nose Lift

Most Aventadors are equipped with a nose lift feature, which raises the front suspension to aid in loading the vehicle onto the carrier.

#### Step 1

The nose lift switch is located in the switch panel above the climate control:



With the vehicle running, pull the nose lift switch down.



## Step 2

The yellow light in the instrument cluster will begin to flash. When the light stops flashing, the vehicle is fully lifted.






Fully lifted:





8-Point Carrier Tie Down

The 8-point carrier tie down is the recommended retention method for Lamborghini models.








# 2016 Lamborghini Huracán

Front Cargo Cover Release and Hood Release



Front cargo cover = top button



Hood = bottom button



2016 Lamborghini Huracán Jump Start

### Step 1

Front cargo cover release location.




Step 2

The vehicle's battery is behind a small trim panel in the front cargo area (trunk). The twist fasteners can be removed using a coin.



### Step 3

The battery terminals are just behind the panel.





# 2016 Lamborghini Huracán

Tow Eyelet

#### Location

The tow eyelet is located in either one of the two black tool kit bags in the front cargo area.





#### **Procedure**

The screw in provision for the tow eyelet is located behind the grille on the passenger side of the bumper. Take great care while removing this grille as it can be difficult to get out.

Remove the rubber plug from the provision. Screw in the tow eyelet all the way to the shoulder. (Standard right hand thread)





# 2016 Lamborghini Huracán Nose Lift

Most Huracáns are equipped with a nose lift feature, which raises the front suspension to aid in loading the vehicle onto the carrier.

#### Step 1

The nose lift switch is located in the switch panel above the climate control:



With the vehicle running, pull the nose lift switch down.



### Step 2

The yellow light in the instrument cluster will begin to flash. When the light stops flashing, the vehicle is fully lifted.





Fully lifted:





# 2016 Lamborghini Huracán

8-Point Carrier Tie Down

The 8-point carrier tie down is the recommended retention method for Lamborghini models.

